

# IPv6 Test Pod - Project Update

James Harr, DevOps NetEng, Internet2



# ABOUT INTERNET2



NETWORK

## High-Speed National Research & Education Network (NREN)

- US Optical and Packet backbone
- 46 POPs around the US
- 100GE / 400GE connections to connectors/members
- International peerings to other NRENs
- I2PX - Internet2 Peering Exchange - cloud/commercial peerings
- L2VPN & L3VPN solutions



CLOUD



SECURITY

## InCommon / Trust & Identity

- Federated single sign on across members
- eduroam - authenticated roaming between campuses



COMMUNITY

## Community

- Member-run non-profit organization

# AGENDA

- Events in IPv6
- Measuring IPv6 adoption
- IPv6-only Networks and Transition Technologies
- The IPv6 Test Pod Project
- Current Project Status




# Events in IPv6

- 1998 December - IPv6 Draft Standard Released
- 2011 June - World IPv6 Test Day
- 2012 June - World IPv6 Launch
- 2015 September - ARIN Free IPv4 pool depleted
- 2017 July - IPv6 Standard Ratified
- 2020 December - US Gov IPv6-Only Mandate
- 2024 March - draft-link-v6ops-6mops-00




# Measuring IPv6 Adoption

## IPv6 Adoption - by Prefixes [Potaroo]



Source: <https://bgp.potaroo.net/v6/as2.0/index.html>

# IPv6 Adoption - by Traffic [Google]



Source: <https://www.google.com/intl/en/ipv6/statistics.html>

# Measuring IPv6 Deployment at Internet2

- IPv6 at end-user networks shows

ASN	IPv4 Traffic	IPv6 Traffic
RIPE-NL-AS	99.97%	0.03%
UEN-AS	97.67%	2.33%
UConn-AS	99.09%	0.91%
UVA-AS	100.00%	0.00%
University of Missouri-AS	99.93%	0.07%
University of Michigan-AS	100.00%	0.00%
UVA-AS	69.50%	30.50%
Washington State U-AS	98.70%	1.30%
University of Chicago-AS	38.07%	61.93%
UVA-AS	98.55%	1.45%
University of Wisconsin-AS	93.82%	6.18%
UVA-AS	99.82%	0.18%
University of Texas-AS	99.85%	0.15%
UVA-AS	100.00%	0.00%





# IPv6 Only Networks



# Why IPv6-Only?

- IPv6-only is where we really want to be
  - Dual-stack is NOT the end-game
- Operational Simplicity
- Fewer hidden issues [Happy Eyeballs]
- Burden on transition mechanisms [NAT64]  
decreases over time




# Supporting IPv6 Only

Emerging standards and techniques to keep IPv6-only networks connected to IPv4-only websites

- NAT64
- DNS64
- 464XLAT
- IPv6-RA w/ PREF64
- DHCP option 108 [IPv6 Mostly]


## Accessing IPv4 with NAT64 / DNS64



④ DNS64 synthesizes response -- **example.com AAAA 64:ff9b::192.0.2.100**

⑥ Client traffic to **64:ff9b::192.0.2.100** routed through NAT64 appliance, translated to IPv4

## Accessing IPv4 with 464XLAT



- 1** Client connects to IPv4-only resource through **CLAT**
- 2** **CLAT** translates to IPv6, connects to `64:ff9b::192.0.2.100`
- 3** Traffic to `64:ff9b::192.0.2.100` routed through **NAT64 / PLAT** appliance, translated to IPv4



# Configuring 464XLAT

## RFC 8781 - Discovering PREF64 in Router Advertisements

- Isn't widely supported in most NOS's (yet)
- OS support varies

## RFC 8880 - Special Use Domain Name 'ipv4only.arpa'

- **ipv4only.arpa** is a well-known DNS entry with only A records
- If a AAAA record is returned:
  - We know DNS64 is being used
  - We know the NAT64 prefix



# OS Support for 464xlat

iOS **Supported**

Android **Supported**

macOS **Supported**

Windows **Supported on LTE only**

Linux **No out of the box support, but tools exist**



## Typical Problems

	IPv6 Only	DNS64/NAT64	464XLAT
No server-side IPv6	<b>Problem</b>	OK	OK
Hard-coded IPv4 literal	<b>Problem</b>	<b>Problem</b>	OK
Application hard-codes Address Family	<b>Problem</b>	<b>Problem</b>	OK
Application and Server support IPv6; SSO does not support IPv6	<b>Problem</b>	OK	OK
Server IPv6 is listed but broken; TCP SYN Proxy breaks Happy Eyeballs	<b>Problem</b>	<b>Problem</b>	<b>Problem</b>





# IPv6 Test Pod Grant




## Getting a Lab Set up

1. Understand all the options
2. Get access to IPv6
3. Piece together a solution with a mix of equipment
  - a. NAT64 - not well supported in lower end platforms
  - b. DNS64 - independent server/container
  - c. PREF64 - may not be supported in NOS that supports NAT64
4. Setup multiple test environments
  - a. Dual Stack
  - b. DNS64 + NAT64
  - c. NAT64 + PREF64
  - d. IPv6 only
5. Still do your day job

# IPv6 Test Pod

- \$7,000 ARIN Grant
- Target making client-side testing easy
- Inexpensive device (<\$150)
- Creates 3+ wifi+wired networks for testing: dual-stack, nat64, ipv6-only
- Uses an a tunnel for IPv6
- Service includes tunnel termination
- Comes pre-configured, plug-in and go
- Distributed at no-cost to participant
- Inspired by [RIPE ATLAS](#) probes





# Target Users

- **App Developer** - Wants to test a client-side app in a v6-only environment. The back-end infrastructure is supposed to be configured, but happy eyeballs and a dual-stacked server may be hiding problems.
- **IT Support** - Has a set of applications they want to test for an IPv6-only environment, but the rest of the organization doesn't have time/resources to set up the test bed.
- **Network Engineer** - Who has been asked to research NAT64/DNS64; lab environment setup would take days/weeks



# Project Timeline

Month 0-6 – Purchase initial batch of test hardware, Evaluate software

Month 3-9 – Collect applications, Configure & distribute devices,

Month 9-12 – Gather feedback from participants, Summarize in report



# Ways to Participate

- [jharr@internet2.edu](mailto:jharr@internet2.edu)
- [ipv6-pod.info](http://ipv6-pod.info)
  - Submit an application for a test pod
  - Mail list - <https://lists.internet2.edu/sympa/info/ipv6-pod-announce>